

発表論文

1. Kumeta H., Ogura K., Adachi S., Fujioka Y., Tanuma K., Kikuchi K., Inagaki F.
The NMR structure of the NIPP1 FHA domain
J. Biomol. NMR., **40**, 219-24 (2008).
2. Takahasi K., Yoneyama M., Nishihori T., Hirai R., Kumeta H., Narita R., Gale M. Jr., Inagaki F., Fujita T.
Nonself RNA-Sensing Mechanism of RIG-I Helicase and Activation of Antiviral Immune Responses
Mol. Cell., **29**, 428-40 (2007).
3. Fujioka Y., Noda N., Fujii K., Yoshimoto K., Ohsumi Y., Inagaki F.
In vitro reconstitution of plant ATG8 and ATG12 conjugation systems essential for autophagy
J. Biol. Chem., **283**, 1921-8 (2008).
4. Hanada T., Noda N., Satomi Y., Ichimura Y., Fujioka Y., Takao T., Inagaki F., Ohsumi Y.
The ATG12-ATG5 conjugate has a novel e3-like activity for protein lipidation in autophagy
J. Biol. Chem., **282**, 37298-302 (2007).
5. Kobashigawa Y., Naito M., Inagaki F.
An efficient method for protein phosphorylation using the artificially introduced of cognate-binding modules into kinases and substrates
J. Biotechnol., **131**, 458-65 (2007).
6. Saio T., Kumeta H., Ogura K., Yokochi M., Asayama M., Katoh S., Katoh E., Teshima K., Inagaki F.
Domain II in the Iron-Sulfur Cluster Transfer Process as Revealed by NMRJun
J. Biochem. (Tokyo), **142**, 113-121 (2007).
7. Yamaguti M., Noda N., Fujioka Y., Ohsumi Y., Inagaki F.
Crystallization and preliminary X-ray analysis of Atg10
Acta Crystallograph. Sect. F Struct. Biol. Cryst. Commun., **63** (Pt 5), 443-5 (2007).
8. Kumeta H., Ogura K., Asayama M., Katoh S., Katoh E., Teshima K., Inagaki F.
The NMR structure of the domain II of a chloroplastic NifU-like protein OsNifU1A
J. Biomol. NMR, **38**, 161-4 (2007).
9. Kobashigawa Y., Sakai M., Naito N., Yokochi M., Kumeta H., Makino Y., Ogura K., Tanaka S., Inagaki F.
Structural basis for the transforming activity of human cancer-related signaling adaptor protein CRK.
Nat. Struct. Mol. Biol., **14**, 503-10 (2007).
10. Adachi W., Noda N., Fujioka Y., Suzuki K., Ohsumi Y., Inagaki F.
Crystallization of *Saccharomyces cerevisiae* Aminopeptidase 1, the major cargo protein of the Cvt pathway
Acta Crystallograph. Sect. F Struct. Biol. Cryst. Commun., **63** (Pt 3), 200-3 (2007).
11. Yamada Y., Noda N., Hanada T., Ichimura Y., Kumeta H., Fujioka Y., Ohsumi Y., Inagaki F.
The crystal structure of ATG3, an autophagy-related E2 enzyme that mediates ATG8 lipidation.
J. Biol. Chem., **282** (11), 8036-43 (2007).
12. Tanaka Y., Sakamoto S., Kuroda M., Goda S., Gao Y-G., Tsumoto K., Hiragi Y., Yao M., Watanabe N., Ohta T., Tanaka I.
A Helical String of Alternately Connected Two Three-helix Bundles for the 1.1-Megadalton Cell Wall-Associated Adhesion Protein Ebh from *Staphylococcus aureus*
Structure., **16**, 488-96 (2008).
13. Itou H., Yao M., Watanabe N., Tanaka I.
Crystal structure of the PH1932 protein, a unique archaeal ArsR type winged-HTH transcription factor from *Pyrococcus horikoshii* OT3
Proteins., **70**, 1631-4 (2008).
14. Okada U., Kondo K., Hayashi T., Watanabe N., Yao M., Tamura T., Tanaka I.
Structural and functional analysis of the TetR-family transcriptional regulator SCO0332 from *Streptomyces coelicolor*
Acta Cryst., **D64**, 198-205 (2008).
15. Hu S-Q., Gao Y-G., Tajima K., Yao M., Yoda T., Shimura D., Satoh Y., Kawano S., Tanaka I., Munekata M.
Purification, Crystallization and Preliminary X-Ray Studies of AxCesD Required for Efficient Cellulose Biosynthesis in *Acetobacter xylinum*
Protein & Peptide Letters, **15**, 115-7 (2008).
16. Zhang X., Nakashima T., Kakuta Y., Yao M., Tanaka I., Kimura M.
Crystal structure of an archaeal Ski2p-like protein from *Pyrococcus horikoshii* OT3
Protein Sci., **17**, 136-45 (2008).
17. Kitago Y., Karita S., Watanabe N., Kamiya M., Aizawa T., Sakka K., Tanaka I.
Structure of Cel44A, a Glycoside Hydrolase Family 44 Endoglucanase from *Clostridium thermocellum*
J. Biol. Chem., **282**, 35703-11 (2007).
18. Tanaka Y., Kuroda M., Yasutake Y., Yao M., Tsumoto K., Watanabe N., Ohta T., Tanaka I.
Crystal structure analysis reveals a novel forkhead-associated domain of ESAT-6 secretion system C protein in *Staphylococcus aureus*
Proteins, **69**, 659-64 (2007).
19. Tanaka Y., Sasaki T., Kumagai I., Yasutake Y., Yao M., Tanaka I., Tsumoto K.
Molecular properties of two proteins homologous to PduO-type ATP: cob (I) alamin adenosyltransferase from *Sulfolobus tokodaii*
Proteins, **68**, 446-57 (2007).

- 著書・総説・解説等
1. 稲垣冬彦
細胞内シグナル伝達
蛋白質核酸酵素, **53**, 600-3 (2008).
 2. 小橋川敬博, 田中伸哉, 稲垣冬彦
構造が解き明かすアダプター蛋白質Crkの癌化機構
蛋白質核酸酵素, **53**, 148-56 (2008).
 3. 小橋川敬博, 稲垣冬彦, 田中伸哉
構造が解き明かすアダプター C R K のシグナル伝達
実験医学, **25**, 2887-90 (2007).
 4. 稲垣冬彦
極性発現に必要なPB1ドメイン間の相互作用
生体の科学, **58**, 402-3 (2007).
 5. 稲垣冬彦
Grb2 SH2の構造を基盤とした抗ガン剤の設計
医薬ジャーナル, **43** (2007).
 6. 鈴木展生, 稲垣冬彦
オートファジーの構造生物学
生物物理, **47**, 107-11 (2007).
 7. 坂井直樹, 田中 勲
大腸菌を用いた結晶化用試料の調製
実験医学, **25**, 1727-32 (2007).
 8. 中村彰良, 田中 勲
真正細菌型グルタミンアミドトランスフェラーゼCAB
複合体の構造と機能
生物物理, **47**, 190-3 (2007).
 9. 中村彰良, 田中 勲
真正細菌型グルタミンアミドトランスフェラーゼCAB
複合体の結晶構造
Photon Factory News, **25**, 19-22 (2007).
 10. 出村 誠, 神谷昌克, 相沢智康
光イオンポンプ
『基礎から学ぶ構造生物学』 共立出版, 150-6 (2008).
- 国際学会・口頭発表
- February 2008
Seoul, Korea
Korean NMR Society Meeting
Structural Basis for the Transforming Activity of Human Cancer-related Signaling Adaptor Protein Crk
Inagaki F.
- January 2008
Sapporo, Japan
The 9th RIES-Hokudai International Symposium
Structural biology of autophagy
Inagaki F.
20. Gao Y-G., Yao M., Itou H., Zhou Y., Tanaka I.
The structures of transcription factor CGL2947 from *Corynebacterium glutamicum* in two crystal forms: A novel homodimer assembling and the implication for effector-binding mode
Protein Science, **16**, 1878-86 (2007).
21. Mizuguchi M., Hayashi A., Takeuchi M., Dobashi M., Mori Y., Shinoda H., Aizawa T., Demura M., Kawano K.
Unfolding and aggregation of transthyretin by the truncation of 50 N-terminal amino acids.
Proteins, **72**, 261-9 (2008).
22. Wang W., Itoh S., Matsuda A., Aizawa T., Demura M., Ichinose S., Shinomiya K., Tanaka J.
Enhanced nerve regeneration through a bilayered chitosan tube: The effect of introduction of glycine spacer into the CYIGSR sequence
J Biomed Mater Res A, **85A**, 919-28 (2008).
23. Saito S., Yokoyama T., Aizawa T., Kawaguchi K., Yamaki T., Matsumoto D., Kamiya M., Kumaki Y., Mizuguchi M., Takiya S., Demura M., Kawano K.
Structural Properties of the DNA-Bound Form of a Novel Tandem Repeat DNA-Binding Domain, STPR
Proteins, **72**, 414-26 (2008).
24. Nonaka Y., Aizawa T., Akieda D., Watanabe M., Watanabe N., Tanaka I., Kamiya M., Mizuguchi M., Nitta K., Demura M., Kawano K.,
Spontaneous asparaginyl deamidation of canine milk lysozyme under mild conditions
Proteins, **72**, 313-22 (2008).
25. Kouno T., Mizuguchi M., Tanaka H., Yang P., Mori Y., Shinoda H., Unoki K., Aizawa T., Demura M., Suzuki K., Kawano K.
The Structure of a Novel Insect Peptide Explains Its Ca(2+)-Channel Blocking and Antifungal Activities,
Biochemistry, **46**, 13733-41 (2007).
26. Fujitani N., Kouno T., Nakahara T., Takaya K., Osaki T., Kawabata S., Mizuguchi M., Aizawa T., Demura M., Nishimura S.-I., Kawano K.
The solution structure of horseshoe crab antimicrobial peptide tachystatin B with an inhibitory cystine-knot motif
J Pept Sci., **13**, 269-79 (2007).
27. Nakagawa H., Ohira M., Hayashi S., Abe S., Saito S., Nagahori N., Monde K., Shinohara Y., Fujitani N., Kondo H., Akiyama S.-I., Nakagawara A., and Nishimura S.-I.
Alterations in the glycoform of cisplatin-resistant human carcinoma cells is caused by defects in the endoplasmic reticulum-associated degradation system
Cancer Lett., in press (2008).
28. Fujitani N., Shimizu H., Matsubara T., Ohta T., Komata Y., Miura N., Sato T., Nishimura S.-I.
Structural Transition of a Fifteen Amino Acid Residue Peptide Induced by GM1
Carbohydr. Res., **342**, 1895-903 (2007).

October 2007	国内招待
Kenting, Taiwan	
The 16th ISMAR conference	2007年12月
Structural Basis for the regulation of Phagocyte NADPH	横浜市
Oxidase Activity	BMB 2007
Inagaki F.	「細胞極性を制御するPB1 ドメインの相互作用様式」
	稻垣冬彦, 平野良憲
October 2007	2007年10月
Hsinchu, Taiwan	横浜市
The 2nd Asia-Pacific NMR Symposium	よこはま NMR 構造生物学研究会「International Symposium on Drug Discovery and Design by NMR」
Structural basis for superoxide generation by phagocyte NADPH oxidase	Structural basis for the transforming activity of human cancer-related signaling adaptor protein CRK
Inagaki F.	稻垣冬彦
October 2007	2007年8月
Seoul, Korea	大阪市
The KIAS-Soongsil Conference on Protein Structure and Function (7th Conference)	塩野義製薬講演会
Structural analysis of human cancer related adaptor protein Crk and its biological implications	「蛋白質のハイスクープト結晶構造解析と創薬」
Inagaki F.	田中 熊
March 2007	2007年12月
Osaka, Japan	横浜市
International Workshop on Stable Isotope Aided NMR Methods for Protein Structural Analysis	日本生物物理学会第45回年会シンポジウム
Structural basis on the inhibition of CrkII activity by phosphorylation.	「翻訳精度維持のためのtRNAアセチル化の分子基盤」
Inagaki F.	田中 熊
October 2007	2007年5月
Tokyo, Japan	仙台市
2nd International Cellulose Conference (ICC2007)	日本蛋白質科学会年会
Crystal structure of Cel44A, GH family 44 endoglucanase from <i>Clostridium thermocellum</i>	「膜タンパク質ハロロドプシンの多量体構造と光アニオンポンプ機能」
Kitago Y., Karita S., Watanabe N., Sakka K., Tanaka I.	佐々木貴規, 神谷昌克, 相沢智康, 河野敬一, 出村 誠
January 2008	特許
Nara, Japan	
The 5th Open Workshop for “Chemistry of Biological Processes Created by Water and Biomolecules”	2007/8/2 (特願2007-201532)
Formation of alpha-lactalbumin - fatty acid complex as an apoptosis induction factor: Evaluation with chimeric proteins	組換えタンパク質の製造方法
Kamijima T., Aizawa T., Kamiya M., Kawano K., Demura M.	発明者: 相沢智康, 神谷昌克, 北條江里, 出村 誠, 河野敬一